

SCOPE OF WORK FOR SUNROOMS

SITE LOCATION: _____

CATEGORY _____ SUNROOM

NEW ADDITION

EXISTING PORCH/DECK/PATIO

WITH ELECTRIC

WITHOUT ELECTRIC

CATEGORY	I	II	III	IV	V
HABITABLE	NO	NO	NO	NO	YES
EXIT LIGHT REQUIRED	NR	REQUIRED	REQUIRED	REQUIRED	REQUIRED
2009 IECC COMPLIANCE	NR	NR	NR	REQUIRED	REQUIRED
R-VAULES	NR	NR	NR	R-19 CEILING R-13 WALLS	R-30 CEILING R-13 WALLS
ENERGY SHEET	NR	NR	NR	REQUIRED	REQUIRED
EMERGENCY ESCAPE OPENINGS	NR	FLOORPLAN REQUIRED	FLOORPLAN REQUIRED	FLOORPLAN REQUIRED	FLOORPLAN REQUIRED
DP RATING	NR	NR	NR	NR	DP-45 COUNTY MINIMUM
WINDOW PROTECTION	NR	NR	NR	NR	REQUIRED
OUTLET REQUIREMENT	NR	NR	NR	SHALL COMPLY WITH NFPA 70 ARTICLE 314	SHALL COMPLY WITH NFPA 70 ARTICLE 314
EXTERIOR GFCI OUTLET REQUIREMENT	RELOCATE TO THE EXTERIOR IF WITHIN THE ENCLOSURE				

REVIEWER _____

COMMENTS: _____

PLAN REVIEWER _____

DATE _____

PERMIT# _____