U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY

National Flood Insurance Program

ELEVATION CERTIFICATE

IMPORTANT: Follow the instructions on pages 1-9.

OMB No. 1660-0008 Expiration Date: July 31, 2015

y SEC1	F	OR INSURANCE CO	OMPANY USE		
A1. Building Owner's Name Henry Miller	Р	olicy Number:			
A2. Building Street Address (including Apt., Unit, Suite, and	i	ompany NAIC Number	er:		
City Myrtle Beach State SC				P Code ₂₉₅₈₈	クレク
A3. Property Description (Lot and Block Numbers, Tax Parce TMS# 179-38-01-037		1//	ille.		
 A4. Building Use (e.g., Residential, Non-Residential, Additional Latitude/Longitude: Lat. 33 deg 41 min 11.84 sec. A6. Attach at least 2 photographs of the building if the Cer. A7. Building Diagram Number 1A. A8. For a building with a crawispace or enclosure(s): a) Square footage of crawispace or enclosure(s) b) Number of permanent flood openings in the crawispor enclosure(s) within 1.0 foot above adjacent grades. c) Total net area of flood openings in A8.b 	Long. 79 deg 00 r tificate is being used to N/A sq ft	nin 34.86 sec obtain flood insurance A9. For a building a) Square for b) Number of within 1.0	g with an atta ootage of atta of permanent O foot above a	ched garage: iched garage flood openings in adjacent grade	N/A sq ft
d) Engineered flood openings? ☐ Yes ☒ No ✓	sq ir	•	ed flood oper	openings in A9.b nings? [] Yes	No sq in
SECTION R - FLOO	D INSURANCE RAT	E MAP (FIRM) IN	FORMATION	<u> </u>	
B1. NFIP Community Name & Community Number	B2. County N			B3. S	State
County of Horry 450104	Horry			SC	
B4. Map/Panel Number B5. Suffix B6. FIRM Index 45051C0670 H 9/17/200	Revised [Flood Zone(s)		Elevation(s) (Zone se flood depth)
B10.Indicate the source of the Base Flood Elevation (BFE) of				1	
☐ FIS Profile ☐ FIRM ☐ Community Determined					
			ther/Source:		/
B12.1s the building located in a Coastal Barrier Resources S	_	Otherwise Protected A	rea (OPA)?	Yes 🛛 N	
Designation Date: / [CBI	RS DPA				
SECTION C – BUILDI	NG ELEVATION INFO	RMATION (SURVI	EY REQUIRI	ED)	
C1. Building elevations are based on: Construction *A new Elevation Certificate will be required when construction *A new Elevation Certificate will be required will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation Certificate will be required with the construction *A new Elevation		ilding Under Constructs complete.	ction*	Inished Constru	uction
*A new Elevation Certificate will be required when cons C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a-h below according to the building diagram specific	truction of the building i 1–V30, V (with BFE), AR, ed in Item A7. In Puerto	s complete. . AR/A, AR/AE, AR/A1 Rico only, enter mete	L-A30, AR/AH ers.	i, AR/AO. Complete	e Items
*A new Elevation Certificate will be required when cons C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V	truction of the building in 1–V30, V (with BFE), AR, ed in Item A7. In Puerto Verticus a) through h) below.	s complete. AR/A, AR/AE, AR/AI Rico only, enter mete al Datum: 1929 Da	L-A30, AR/AH ers. tum convert NAVD 1988 [i, AR/AO. Complete from 1988 bv V] Other/Source: _	e Items
*A new Elevation Certificate will be required when cons C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specifi Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a	truction of the building in 1–V30, V (with BFE), AR, ed in Item A7. In Puerto Vertice as a) through h) below.	AR/A, AR/AE, AR/AI Rico only, enter mete al Datum: 1929 Da	L-A30, AR/AH ers. turn convert NAVD 1988 [Check the me	i, AR/AO. Complete from 1988 by V Other/Source: _ asurement used.	e Items
*A new Elevation Certificate will be required when const. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace)	truction of the building in 1–V30, V (with BFE), AR, ed in Item A7. In Puerto Vertice as a) through h) below.	s complete. AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da NGVD 1929 19 8	L-A30, AR/AH ers. tum convert NAVD 1988 [Check the me	i, AR/AO. Complete from 1988 by V Other/Source: _ asurement used. meters	e Items
*A new Elevation Certificate will be required when cons C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specifi Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a	truction of the building in 1–V30, V (with BFE), AR, ed in Item A7. In Puerto Verticens a) through h) below. as that used for the BFE, or enclosure floor)	AR/A, AR/AE, AR/AI Rico only, enter mete al Datum: 1929 Da	L-A30, AR/AH ers. turn convert NAVD 1988 [Check the me	i, AR/AO. Complete from 1988 by V Other/Source: _ asurement used.	e Items
*A new Elevation Certificate will be required when const. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same a a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor	truction of the building in 1–V30, V (with BFE), AR, ed in Item A7. In Puerto Verticens a) through h) below. as that used for the BFE, or enclosure floor)	AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da M NGVD 1929 ☐ N	L-A30, AR/AH ers. tum convert NAVD 1988 [Check the me \(\infty\) feet	from 1988 by V Other/Source: _ asurement used. meters meters	e Items
*A new Elevation Certificate will be required when const. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (truction of the building in 1–V30, V (with BFE), AR, ed in Item A7. In Puerto Vertice in sa) through h) below. In as that used for the BFE, or enclosure floor)	AR/A, AR/AE, AR/AI Rico only, enter mete all Datum: 1929 Da M NGVD 1929 □ N 19 8 29 9 N/A N/A 19 3	L-A30, AR/AH ers. tum convert NAVD 1988 [Check the me \(\frac{1}{2}\) feet \(\frac{1}{2}\) feet	from 1988 bv V Other/Source: _ asurement used. meters meters meters meters	e Items
*A new Elevation Certificate will be required when const. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, VC2.a–h below according to the building diagram specific Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commet f) Lowest adjacent (finished) grade next to building (LA)	truction of the building in 1–V30, V (with BFE), AR, and in Item A7. In Puerto Vertice in a) through h) below. The as that used for the BFE, or enclosure floor) V Zones only) In the building in the buildi	AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da NGVD 1929 19 8 29 9 N/A N/A 19 3	L-A30, AR/AH ers. tum convert NAVD 1988 [Check the me	from 1988 bv V Other/Source: _ asurement used. meters meters meters meters meters meters meters	e Items
*A new Elevation Certificate will be required when const. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, VC2.a–h below according to the building diagram specification benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (LA) in the support of the lowest adjacent (finished) grade next to building (LA) in Lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the control of the lowest adjacent grade at lowest elevation of deck of the lowest elevation of deck of the lowest elevation of the lo	truction of the building in 1–V30, V (with BFE), AR, and in Item A7. In Puerto Vertice in Sa) through h) below. The sall through his below. Th	AR/A, AR/AE, AR/AI Rico only, enter mete all Datum: 1929 Da M NGVD 1929 □ N 19 8 29 9 N/A N/A 19 3	L-A30, AR/AH ers. turn convert NAVD 1988 [Check the me	from 1988 bv V Other/Source: _ asurement used. meters meters meters meters meters meters	e Items
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specification benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (LA) Highest adjacent grade at lowest elevation of deck of structural support	truction of the building in 1-V30, V (with BFE), AR, and in Item A7. In Puerto Vertice was a) through h) below. The set that used for the BFE, or enclosure floor) V Zones only) The building must be building must be building must be stairs, including must be stairs.	AR/A, AR/AE, AR/AI Rico only, enter meteral Datum: 1929 Datum: 1929 Datum: 1929 Datum: 1929 Datum: 19	L-A30, AR/AHers. tum convert NAVD 1988 [Check the me	from 1988 bv V Other/Source: _ asurement used. meters	e Items
*A new Elevation Certificate will be required when const. C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specificate Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commental Support (finished) grade next to building (LA) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support	truction of the building in 1-V30, V (with BFE), AR, and in Item A7. In Puerto Vertice was a) through h) below. The set that used for the BFE, or enclosure floor) V Zones only) Ing the building must have building must ha	S complete. AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da NGVD 1929 □ N 19 8 29 9 N/A N/A 19 3 19 0 R ARCHITECT CE	L-A30, AR/AHers. tum convert NAVD 1988 [Check the me	from 1988 by V Other/Source: _ asurement used. meters	ertcor
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specification benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (Ha h) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV	truction of the building in 1-V30, V (with BFE), AR, and in Item A7. In Puerto Vertice was a) through h) below. The set that used for the BFE, or enclosure floor) V Zones only) V Zones only) In the building must be building must be set on the building must be set of the BFE, or enclosure floor) EYOR, ENGINEER, Our, engineer, or architect presents my best efforts	AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da NGVD 1929 □ I 19 8 29 9 N/A 19 3 19 0 19 3 19 0 R ARCHITECT CE authorized by law to to interpret the data a	L-A30, AR/AH ers. turn convert NAVD 1988 [Check the me feet feet feet feet feet feet feet feet feet certify elevatic	from 1988 by V Other/Source: _ asurement used. meters	e Items
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specification benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (LA) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate replacement and false statement may be punishable by finest and comments are provided on back of form.	truction of the building in 1-V30, V (with BFE), AR, and in Item A7. In Puerto Vertice was a) through h) below. The set that used for the BFE, or enclosure floor) V Zones only) V Zones only) In the building must be building must be set on the building must be set of the BFE, or enclosure floor) EYOR, ENGINEER, Our, engineer, or architect presents my best efforts	AR/A, AR/AE, AR/AI Rico only, enter meter al Datum: 1929 Da NGVD 1929 D 19 8 29 9 N/A 19 3 19 0 19 3 19 0 R ARCHITECT CE authorized by law to to interpret the data are 18 U.S. Code, Section	L-A30, AR/AHers. turn convert NAVD 1988 [Check the me feet feet feet feet feet feet feet feet certify elevation available, on 1001. covided by a	from 1988 by V Other/Source: _ asurement used. meters	ertcor
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specification benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comme f) Lowest adjacent (finished) grade next to building (LA) Highest adjacent grade at lowest elevation of deck of structural support	truction of the building is 1–V30, V (with BFE), AR, ed in Item A7. In Puerto Verticons a) through h) below. The set that used for the BFE, or enclosure floor) V Zones only) In githe building must be building must be building must be building must be set or stairs, including by r stairs, includi	AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da NGVD 1929 D 19 8 29 9 N/A 19 3 19 0 19 3 19 0 R ARCHITECT CE authorized by law to to interpret the data a er 18 U.S. Code, Section gitude in Section A pr	L-A30, AR/AHers. turn convert NAVD 1988 [Check the me feet feet feet feet feet feet feet feet certify elevation available, on 1001. covided by a	from 1988 by V Other/Source: _ asurement used. meters	ertcor
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (L4 g) Highest adjacent (finished) grade next to building (H h) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV This certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate region and sealed by a land surveyor information. I certify that the information on this Certificate region is certificated that any false statement may be punishable by fine Check here if comments are provided on back of form. Certifier's Name Barry W. Suggs	truction of the building in 1-V30, V (with BFE), AR, and in Item A7. In Puerto Vertice in sa) through h) below. In sa, or enclosure floor) Vertice in sa, or enclosure floor In sa, or enclosure floor In sa, or enclosure floor Vertice in sa, or enclosure floor In sa, o	AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da NGVD 1929 □ N 19 8 29 9 N/A 19 3 19 0 19 3 19 0 19 3 19 0 R ARCHITECT CE authorized by law to to interpret the data ar 18 U.S. Code, Section at the content of the conten	L-A30, AR/AHers. turn convert NAVD 1988 [Check the me feet feet feet feet feet feet feet feet certify elevation available, on 1001. covided by a	from 1988 by V Other/Source: _ asurement used. meters	ertcor
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a—h below according to the building diagram specific Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Commental Lowest adjacent (finished) grade next to building (LA g) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURV Indicated (Indicated on the Certificate report of the comments are provided on back of form. Check here if comments are provided on back of form. Check here if attachments. Certifier's Name Barry W. Suggs Title PLS Address	truction of the building is 1–V30, V (with BFE), AR, ed in Item A7. In Puerto Verticons a) through h) below. As that used for the BFE, or enclosure floor) V Zones only) Ing the building mits) Ing the building mits mits mits mits mits mits mits mits	AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da NGVD 1929 D 19 8 29 9 N/A N/A 19 3 19 0 19 3 19 0 RARCHITECT CE authorized by law to a interpret the data a cer 18 U.S. Code, Section of the content of t	L-A30, AR/AHers. turn convert NAVD 1988 [Check the me	from 1988 by V Other/Source: _ asurement used. meters	ertcor
*A new Elevation Certificate will be required when const C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V C2.a–h below according to the building diagram specific Benchmark Utilized: GPS VIA SC VRS Network Indicate elevation datum used for the elevations in item Datum used for building elevations must be the same at a) Top of bottom floor (including basement, crawlspace b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing (Describe type of equipment and location in Comment of Lowest adjacent (finished) grade next to building (LA) Highest adjacent (finished) grade next to building (H) Lowest adjacent grade at lowest elevation of deck of structural support SECTION D – SURVITTHIS certification is to be signed and sealed by a land surveyor information. I certify that the information on this Certificate region and that any false statement may be punishable by fine Check here if comments are provided on back of form. Certifier's Name Barry W. Suggs Title PLS	truction of the building in 1-V30, V (with BFE), AR, and in Item A7. In Puerto Vertice in sa) through h) below. The sale that used for the BFE in a control of the building in a control of the BFE in a control of the building in the buildi	AR/A, AR/AE, AR/AI Rico only, enter mete cal Datum: 1929 Da NGVD 1929 □ I 19 8 29 9 N/A 19 3 19 0 19 3 19 0 19 3 19 0 RARCHITECT CE authorized by law to to interpret the data acr 18 U.S. Code, Section A principle of the control o	L-A30, AR/AHers. turn convert NAVD 1988 [Check the me feet feet feet feet feet feet cretify elevation available, on 1001. covided by a	from 1988 by V Other/Source: _ asurement used. meters	ertcor

' ELEVATION CERTIFICATE, page 2

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE				
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or PO. Route and Box No. 136 Habor Oaks Dr.				Policy Number:			
City Myrtle Seach	State SC	ZIP Code 29588		Company NAIC Number:			
SECTION D - S	URVEYOR, ENGINEER, O	R ARCHITECT	CERTIFICATION (C	ONTINUED)			
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.							
Comments							
A/C units are the lowest mach	inery.						
Signature		Date 7/6	2015				
SECTION E - BUILDING ELEVATIO	N INFORMATION (SURVE	Y NOT REQUI	RED) FOR ZONE AC	AND ZONE A (WITHOUT BFE)			
For Zones AO and A (without BFE), complete It For Items E1–E4, use natural grade, if availab E1. Provide elevation information for the follow	le. Check the measurement us	ed. In Puerto Ri	co only, enter meters.				
grade (HAG) and the lowest adjacent grad							
a) Top of bottom floor (including basement							
b) Top of bottom floor (including basement		otion A Home 9					
E2. For Building Diagrams 6–9 with permanen the next higher floor (elevation C2.b in the	·	ection a items 8	and/or 9 (see pages 8- ☐ feet ☐ mete				
E3. Attached garage (top of slab) is	diagrams) of the boliding is		leet mete	= =			
E4. Top of platform of machinery and/or equip	ement servicing the huilding is						
E5. Zone AO only: If no flood depth number is		tom floor elevate	ed in accordance with th				
SECTION F - P	PROPERTY OWNER (OR O	WNER'S REP	RESENTATIVE) CER	TIFICATION			
The property owner or owner's authorized repr				EMA-issued or community-issued BFE) or			
Zone AO must sign here. The statements in S Property Owner or Owner's Authorized Representations.		to the best of h	y knowledge.				
Address	<u> </u>	City	Sta	ate ZIP Code			
Signature		Date	Те	lephone			
Comments							
		 		Check here if attachments.			
	SECTION G - COMMUNIT	Y INFORMAT	ION (OPTIONAL)				
The local official who is authorized by law or ord G of this Elevation Certificate. Complete the ap							
G1. The information in Section C was tal who is authorized by law to certify el G2. A community official completed Secti	evation information. (Indicate	the source and	date of the elevation da	•			
G3. The following information (Items G4-	-G10) is provided for commun	ity floodplain m	anagement purposes.				
G4. Permit Number	G5. Date Permit Issued		G6. Date Certificate Of	Compliance/Occupancy Issued			
07 TO 11 TO 17		t					
· —	-	antial Improvem		_			
G8. Elevation of as-built lowest floor (including	ng basement) of the building:	antial Improvem	leet lmete				
G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at	ng basement) of the building:	·	☐ feet ☐ mete	rs Datum			
G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation:	ng basement) of the building:		leet lmete	rs Datum			
G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: Local Official's Name	ng basement) of the building:	Title	☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete	rs Datum			
G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation:	ng basement) of the building:		☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete	rs Datum			
G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: Local Official's Name	ng basement) of the building:	Title	☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete	rs Datum			
G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: Local Official's Name Community Name	ng basement) of the building:	Title Telephone	☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete	rs Datum			
G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: Local Official's Name Community Name Signature	ng basement) of the building:	Title Telephone	☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete	rs Datum			
G8. Elevation of as-built lowest floor (including G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: Local Official's Name Community Name Signature	ng basement) of the building:	Title Telephone	☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete ☐ ☐ feet ☐ mete	rs Datum			

FEMA Form 086-0-33 (Revised 7/12)

Replaces all previous editions.

ELEVATION CERTIFICATE, page 3

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE Policy Number:	
Building Street Address (including Apt., 136 Harbor Oaks				
City Myrtle Beach	State sc	ZIP Code 29588	Company NAIC Number:	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.

FRALT

LEAR



