123758 8-27-2021 RMLEU.22

U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE Important: Follow the instructions on pages 1–9.

	320	TION A - PROPERT	YINFORMATION		FOR INSURANCE COMPANY I
A1. Building Own CK CARR BROT					Policy Number:
A2. Building Stre Box No. 235 GLOUCEST		cluding Apt., Unit, Sui	ite, and/or Bldg. No.)	or P.O. Route and	Company NAIC Number:
City LITTLE RIVE	R		State South 0	Carolina	ZIP Code 29566
		nd Block Numbers, T S @ MARKER 350	ax Parcel Number, Le	egal Description, e	etc.)
A4. Building Use	(e.g., Residen	tial, Non-Residential,	Addition, Accessory,	etc.) RESIDE	NTIAL
A5. Latitude/Lon	gitude: Lat. 33	3D51'12.656"	Long. 78D39'24.425	" Horizont	al Datum: NAD 1927 X NAD 1983
A6. Attach at lea	st 2 photograph	hs of the building if th	e Certificate is being	used to obtain flo	od insurance.
A7. Building Diag	gram Number	6			
A8. For a buildin	g with a crawls	pace or enclosure(s)			
a) Square fo	ootage of crawls	space or enclosure(s)	1144.00 sq ft	
b) Number o	f permanent flo	ood openings in the c	rawispace or enclosu	re(s) within 1.0 foo	ot above adjacent grade 6
c) Total net	area of flood op	penings in A8.b	1230.00 sq	n	
d) Engineer	ed flood openin	gs? 🛛 Yes 🗌	No		
A9. For a building	with an attach				
AS. FUI a DUNCHINE					
			NI/A		
a) Square fo	otage of attach	ed garage	N/A sq		
a) Square fo	otage of attach	ed garage	N/A sq		djacent grade N/A
a) Square for b) Number or	otage of attach	ed garage		1.0 foot above ac	djacent grade N/A
a) Square for b) Number of c) Total net a	otage of attach	ed garageod openings in the a	ttached garage within	1.0 foot above ac	djacent grade N/A
a) Square for b) Number of c) Total net a	otage of attach f permanent flo area of flood op ed flood opening	ed garage ood openings in the a penings in A9.b gs?	ttached garage within N/A se	1.0 foot above ac	
a) Square for b) Number of c) Total net and d) Engineere	otage of attach f permanent flo area of flood op ed flood opening SE unity Name & C	ed garage ood openings in the a penings in A9.b gs?	ttached garage within N/A so	1.0 foot above acq in MAP (FIRM) IN Name	
a) Square fo b) Number o c) Total net a d) Engineere B1. NFIP Commu HORRY COUNT	otage of attach f permanent flo area of flood ope d flood opening SE unity Name & C Y 450104 B5. Suffix	ed garage ood openings in the a penings in A9.b gs? Yes CTION B – FLOOD community Number B6. FIRM Index Date	NO INSURANCE RATE B2. County HORRY Co B7. FIRM Panel Effective/ Revised Date	1.0 foot above acq in MAP (FIRM) IN Name OUNTY B8. Flood Zone(s)	B3. State South Carolina B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)
a) Square fo b) Number o c) Total net a d) Engineers B1. NFIP Commu	otage of attach f permanent flo area of flood op ed flood opening SE unity Name & C Y 450104	ed garage ood openings in the a penings in A9.b gs? Yes CCTION B – FLOOD Community Number B6. FIRM Index	NO INSURANCE RATE B2. County HORRY C	1.0 foot above acq in MAP (FIRM) IN Name OUNTY B8. Flood	B3. State South Carolina B9. Base Flood Elevation(s)
a) Square fo b) Number o c) Total net a d) Engineers B1. NFIP Commu HORRY COUNT 84. Map/Panel Number 5051C0581	otage of attach f permanent flo area of flood ope d flood opening SE unity Name & C Y 450104 B5. Suffix H	ed garage ood openings in the a penings in A9.b gs? Yes CTION B – FLOOD Community Number B6. FIRM Index Date 09-17-2003	INSURANCE RATE B2. County HORRY C6 B7. FIRM Panel Effective/ Revised Date 08-23-1999	1.0 foot above acq in MAP (FIRM) IN Name OUNTY B8. Flood Zone(s) AE	B3. State South Carolina B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)
a) Square fo b) Number o c) Total net a d) Engineere B1. NFIP Commu HORRY COUNT 4. Map/Panel Number 5051C0581 B10. Indicate the	otage of attach f permanent flo area of flood ope d flood opening SE unity Name & C Y 450104 B5. Suffix H	ed garage ood openings in the appenings in A9.b gs? Yes CTION B – FLOOD community Number B6. FIRM Index Date 09-17-2003 Base Flood Elevation	NO INSURANCE RATE B2. County HORRY Co B7. FIRM Panel Effective/ Revised Date	1.0 foot above acq in E MAP (FIRM) IN Name OUNTY B8. Flood Zone(s) AE	B3. State South Carolina B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)
a) Square fo b) Number o c) Total net a d) Engineers B1. NFIP Commu HORRY COUNT 34. Map/Panel Number 5051C0581 B10. Indicate the	otage of attach f permanent flo area of flood ope d flood opening SE unity Name & C Y 450104 B5. Suffix H e source of the file × FIRM	ed garage ood openings in the arbenings in A9.b gs? Yes CTION B – FLOOD Community Number B6. FIRM Index Date 09-17-2003 Base Flood Elevation Community Deter	INSURANCE RATE B2. County HORRY Co B7. FIRM Panel Effective/ Revised Date 08-23-1999	1.0 foot above acquin MAP (FIRM) IN Name OUNTY B8. Flood Zone(s) AE flood depth entere	B3. State South Carolina B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)
a) Square fo b) Number o c) Total net a d) Engineere B1. NFIP Commu HORRY COUNT 84. Map/Panel Number 5051C0581 B10. Indicate the	otage of attach f permanent flo area of flood ope d flood opening SE unity Name & C Y 450104 B5. Suffix H e source of the file × FIRM	ed garage ood openings in the appenings in A9.b gs? Yes CTION B – FLOOD community Number B6. FIRM Index Date 09-17-2003 Base Flood Elevation Community Determined the Belling of BFE in Item Belling i	B7. FIRM Panel Effective/ Revised Date 08-23-1999 (BFE) data or base frmined Other/So	1.0 foot above acting in MAP (FIRM) IN Name OUNTY B8. Flood Zone(s) AE Rood depth entereurce. NAVD 1988	B3. State South Carolina B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth) 12 d in Item B9:
a) Square fo b) Number o c) Total net a d) Engineers B1. NFIP Commu HORRY COUNT 34. Map/Panel Number 5051C0581 B10. Indicate the FIS Pro B11. Indicate ele B12. Is the build	otage of attach f permanent flo area of flood ope d flood opening SE unity Name & C Y 450104 B5. Suffix H e source of the file × FIRM	ed garage ood openings in the appenings in A9.b gs? Yes CTION B – FLOOD community Number B6. FIRM Index Date 09-17-2003 Base Flood Elevation Community Determined the Belling of BFE in Item Belling i	B7. FIRM Panel Effective/ Revised Date 08-23-1999 (BFE) data or base frmined Other/So	1.0 foot above acting in MAP (FIRM) IN Name OUNTY B8. Flood Zone(s) AE Rood depth entereurce. NAVD 1988	B3. State South Carolina B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth) 12 d in Item B9:

123758 8.27.2021 2MLzu.ZZ

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In t	hese spaces, copy the corresponding information from	Section A.	FOR INSURANCE COMPANY USE
Building Street Ad 235 GLOUCESTE	dress (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. I R WAY	Route and Box No.	Policy Number:
City LITTLE RIVER		IP Code 9566	Company NAIC Number
	SECTION C - BUILDING ELEVATION INFORM	MATION (SURVEY F	REQUIRED)
A new Elev C2. Elevations - Complete It Benchmark Indicate elev N Datum used a) Top of b b) Top of th c) Bottom of d) Attached e) Lowest e (Describ	vations are based on: Construction Drawings Interest of the bull of the part	Building Under Construitding is complete. In BFE), AR, AR/A, AF and in Item A7, In Puer am: NGVD 1929 allow. The BFE.	Check the measurement used. 10.5
	adjacent (finished) grade next to building (LAG)		
g) Highest	adjacent (finished) grade next to building (HAG)		9.9 X feet meters
I certify that the i statement may b	section D – surveyor, engineer, or a signed and sealed by a land surveyor, engineer, or information on this Certificate represents my best efforts to it be punishable by fine or imprisonment under 18 U.S. Code, and longitude in Section A provided by a licensed land surveyor.	architect authorized b nterpret the data avail Section 1001.	by law to certify elevation information.
Certifier's Name	License Number		
JACQUES J. BC	NNETT 21431		NIN ROLLAND
Title PLS Company Name SITE SURVEYIN Address 111 WHITE OAK City	IG, LLC	ZIP Code	South A Land
CONWAY	South Carolina	29527	W. COUES 3
Signature	Date 08-26-2021	Telephone (843) 397-8000	Ext.
Copy all pages of	this Elevation Certificate and all attachments for (1) communit	y official, (2) insurance	agent/company, and (3) building owner
LOWEST MACH SHEET. THE NE TO MATCH ENG	ding type of equipment and location, per C2(e), if applicable INERY WILL BE AC UNIT. FLOOD VENTS ARE ENGINEED TARE OF OPENINGS IS 630 SQUARE INCHES. THE COSINEERED RELIEF AREA OF OPENINGS. THIS UNIT IS NOUNDATION AND FRAMING CONSIDERED SHEAR WALL	RED FOR 205 SQ F OUNTY MAKES ME P OT ON PILES, BUT	PUT SQUARE INCHES OF OPENING BOTTOM FLOOR IS AN ENCLOSED

123758 8-272021 RMLEVIZZ

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In th	nese spaces, copy the corresponding	ng information fron	Section A.	1:11.7	FOR INSURAN	CE COMPANY USE
Building Street Add 235 GLOUCESTE	dress (including Apt., Unit, Suite, and/ R WAY	or Bldg. No.) or P.O	Route and Bo	x No.	Policy Number:	
City LITTLE RIVER		tate outh Carolina	ZIP Code 29566		Company NAIC	Number
	SECTION E – BUILDING ELE FOR ZONE	VATION INFORM AO AND ZONE A			REQUIRED)	
For Zones AO and complete Sections enter meters.	A (without BFE), complete Items E1-A, B,and C. For Items E1-E4, use na	E5. If the Certificate tural grade, if availa	is intended to ble. Check the	support a l	OMA or LOMR	-F request, erto Rico only,
E1. Provide elevat	tion information for the following and d djacent grade (HAG) and the lowest a			w whether	the elevation is	above or below
crawlspace	tom floor (including basement, e, or enclosure) is	4	feet	meters	above or	below the HAG.
	tom floor (including basement, e, or enclosure) is		feet	meters	above or	below the LAG.
the next higher	Diagrams 6–9 with permanent flood op er floor (elevation C2.b in of the building is	enings provided in S	Section A Items	8 and/or 9		
E3. Attached gara			feet	meters	above or	below the HAG.
E4. Top of platform servicing the t	m of machinery and/or equipment building is		feet	_ meters	above or	below the HAG.
	If no flood depth number is available nagement ordinance? Yes					e community's ation in Section G.
	SECTION F - PROPERTY OWN	ER (OR OWNER'S	REPRESENTA	ATIVE) CEI	RTIFICATION	
	er or owner's authorized representative BFE) or Zone AO must sign here. Th					
	Owner's Authorized Representative's		ions A, b, and	L are corre		Tilly knowledge.
Address		City		Sta	te	ZIP Code
Signature		Date		Tele	ephone	
Comments						
						A. 100 A.
						1.5
	Calling to A		TELE		Check h	ere if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corr	esponding information for	rom Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, S 235 GLOUCESTER WAY	uite, and/or Bldg. No.) or F	O. Route and Box N	o. Policy Number:
City	State	ZIP Code	Company NAIC Number
LITTLE RIVER	South Carolina	29566	
SECTION	ON G - COMMUNITY INFO	ORMATION (OPTION	IAL)
	Certificate. Complete the ster meters.	applicable item(s) and ion that has been sign	
or Zone AO.			FEMA-issued or community-issued BFE)
G3. The following information (Items G4-	-010) is provided for confin	numity hoodplain man	agement purposes.
G4. Permit Number	G5. Date Permit Issued		G6. Date Certificate of Compliance/Occupancy Issued
 G7. This permit has been issued for: G8. Elevation of as-built lowest floor (includin of the building: G9. BFE or (in Zone AO) depth of flooding at G10. Community's design flood elevation: 	g basement)	ubstantial Improveme	feet meters Datum feet meters Datum Datum
Local Official's Name	Т	itle	
Community Name	Т	elephone	
Signature	C	Pate	
Comments (including type of equipment and lo	cation, per C2(e), if applica	able)	
			Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

MPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE		
Building Street Address (including 235 GLOUCESTER WAY	Apt., Unit, Suite, and/or Bldg. No.) or F	P.O. Route and Box No.	Policy Number:
City	State	ZIP Code	Company NAIC Number
LITTLE RIVER	South Carolina	29566	100/

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken, "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption FRONT

Clear Photo One




Photo Tw

Photo Two Caption BACK

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, co	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 235 GLOUCESTER WAY			
City	State	ZIP Code	Company NAIC Number
LITTLE RIVER	South Carolina	29566	

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.




Photo Three Caption FLOOD VENT

Clear Photo Three



Photo Four Caption

Clear Photo Four

Certification of Engineered Flood Openings

In accordance with the Code of Federal Regulations for the National Flood Insurance Program

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 122CS, 123CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed are designed in accordance with the requirements of the Code of Federal Regulations for the National Flood Insurance Program (NFIP) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. Vent opening measurements were measured and certified by Mr. Christopher Mark Loney, Virginia P.E. NO. 029000. Detailed calculations were prepared as outlined In "Review of certification of Engineered Flood Openings," prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech (available upon request from Crawl Space Door Systems, Inc. billy@crawlspacedoors.com)

Design Characteristics

Section 2.6.2.2 of ASCE/SEI 24-05 provides an equation to determine the required <u>net area</u> of engineered openings (A_o) for a given <u>enclosed area</u> (A_e). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the restricted flow rate through the main frame opening in case the louver is blown out during a flood event; 2) the flow rate through the individual openings between louver blades; and 3) the flow rate through projected openings between louver blades following hydraulic short-tube theory. The maximum total enclosed area (A_o) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1.

These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed at a minimum rate of 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels shall not exceed 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A_o) as provided by the manufacturer.

Installation Requirements and Limitations	Installation	Requirements a	nd Limitations
---	--------------	----------------	----------------

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area subject to flooding;
- The bottom of all openings shall be no higher than one foot above the higher of the interior or exterior grade that is immediately under each opening;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the
 automatic entry or exit of floodwaters at any time;
- Where data or analyses indicate more rapid rates of rise and fall, the required number of openings shall be increased to account
 for those different conditions. The number or size of the openings may be decreased if data or analyses indicate rates of rise and
 fall are less than 5 feet per hour.

*)	Model	H x W [in]	A _o [in ²]	A _e [ft ²]
$ \overline{\mathcal{C}} $	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

Table 1 Maximum total <u>enclosed</u> <u>area</u> (A_e) that can be serviced by each individual model based on the given <u>net area</u> of engineered openings (A_o)

.....

ng Design Professional	TH CARO
Frederick Allen House	Title President HOUSE HOUSE
House Engineering P.C.	ENGINEERING, OF SOLUTION P.C.
PO Box 466, Kitty Hawk, NC 27949	No. 3900 No. 26841
South Carolina	License No. 26841 OF AUTHORITION No. 26841
Part altones, P.E.	Date: 11/17/2017
	Frederick Allen House House Engineering P.C. PO Box 466, Kitty Hawk, NC 27949 South Carolina

Identification of the Building and Installed Flood Vents (By Others)

The flood vent models marked in Table 1*) are being installed at the following building:

Building Address