## Horry County Government

Code Enforcement Department www.horrycounty.org



Horry County Government & Justice Center 1301 Second Avenue / Suite 1D09 Conway, South Carolina 29526 Phone 843.915.5090 || Fax 843.915.6090

## MEMO OF REVIEW FOR CORRECTNESS AND COMPLETION

In accordance with this community's participation in the National Flood Insurance Program's Community Rating System, all FEMA Elevation Certificates must be correct and complete. The attached Certificate has some incorrect items which are noted here.

_	SECTION A - PROPERTY INFORMATION	For Insurance Company Use:
A1.	Building Owner's Name	Policy Number
A2.	. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Company NAIC Number
	City State ZIP Code	L
A3.	. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)	
A6. A7.	<ul> <li>Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential, More and Addition, Accessory, etc.) Residential, Addition, Accessory, etc., Advite and and accessory, etc., Advite and Advite and</li></ul>	
		d openings in the attached garage love adjacent grade openings in A9.b sq in
	SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION	N
B1.	. NFIP Community Name & Community Number B2. County Name	B3. State
	44. Map/Panel Number B5. Suffix B6. FIRM Index Date Date Date Date Date Date Date Date	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
312. No	Indicate elevation datum used for BFE in Item B9:       Indicate elevation datum used for BFE in Item B9:	[Yes ]
-	SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIR	RED)
Consti */ C2. E	Building elevations are based on:  Construction Drawings* Building Under Construction* Construction Building Construction Drawings* Building Under Construction* Construction Building is complete. Blevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH Items C2.a-h below according to the building diagram specified in Item A7. Benchmark Utilized	Finished
	Indicate elevation datum used for the elevations in items a) through h) below. DNGVD 1929 DNAVD 1988 D MMENTS: - LOMR OLE-DY- B279P-450104. Corrected Map	other/Source:
	e of Review: 5-29-19 Community Official: Deutle	-,Cfm
C2. E	A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH Items C2.a-h below according to the building diagram specified in Item A7. Benchmark Utilized Vertical Datum Indicate elevation datum used for the elevations in items a) through h) below. DIGVD 1929 DIAVD 1988 D MMENTS: - LOMR CLE-DY- B279F-YSDIDY. Corrected Map I.Sectoon B as Well as AY.	Other/Source: <u>in formation</u> . , C.F.M_

## U.S. DEPARTMENT OF HOMELAND SECURITY FEDERAL EMERGENCY MANAGEMENT AGENCY National Flood Insurance Program **ELEVATION CERTIFICATE** IMPORTANT: FOLLOW THE INSTRUCTIONS ON PAGES 8-15

OMB Control Number: 1660-0008 Expiration: 11/30/2018

	A - PROPERTY INFORM	ATION		FOR INS	SURANCE COMPANY USE	
A1. Building Owner's Name Jean J. Wilson				Policy Numbe		
A2. Building Street Address (includir Box No. 270 Old Wilson Road	ng Apt., Unit, Suite, and/or	Bldg. No.) or P.O	). Route and	Company NAI Number:	c	
City Longs			State SC	V	Zip Code 29568	
A3. Property Description (Lot and BI PIN # 300-03-02-0007, 0.83 Acres	ock Numbers, Tax Parcel	Number, Legal De	escription, et	c.)		
A4. Building Use (e.g., Residential, I		and the second				
A5. Latitude/Longitude: Lat. N33°54	45.5" Long. W78°	49'30.2" Horizon	tal Datum:	C NAD 1927	( NAD 1983	
A6. Attach at least 2 photographs of	the building if the Certifica	ate is being used to	o obtain floor	d insurance.		
A7. Building Diagram Number 5						
A8. For a building with a crawlspace	or enclosure(s);	A9	9. For a build	ling with an attac	ned garage:	
a) Square footage of crawlspace				age of attached g		sq ft
<ul> <li>b) Number of permanent flood op crawlspace or enclosure(s) wit above adjacent grade</li> </ul>	benings in the thin 1.0 foot	b)		permanent flood o ned garage within cent grade		
c) Total net area of flood opening		sq in c)	Total net are	ea of flood openin	gs in A9.b N/A	sq in
d) Engineered flood openings?	CYes @No	d)	Engineered	flood openings?	C Yes @ No	
SI	ECTION B - FLOOD INSU	RANCE RATE M	AP (FIRM) IN	FORMATION		
B1. NFIP Community Name & Comm		B2. County N	Name	-	B3. State	
Horry County, 450104		Horry County			sc 🗸	
B4. Map/Panel Number B5. Suffix	B6. FIRM Index Date	37. FIRM Panel E Revised Date	Effective/ B8	. Flood Zone(s)	B9. Base Flood Elevation(s (Zone AO, use base flo depth	
45051C390 J J	September 17, 2003	C		AE 20	20	
310. Indicate the source of the Base	Flood Elevation (BFE) data		the second s			
B10. Indicate the source of the Base I C FIS Profile IFIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coase Designation Date:	Flood Elevation (BFE) data imunity Determined Ot or BFE in Item B9: I NG tal Barrier Resources Syst CBRS O	a or base flood de ther/Source: SVD 1929 ( NAV tem (CBRS) area OPA	D 1988 C	in Item B9: Other/Source: Protected Area (	OPA)? (Yes (@ No	
B10. Indicate the source of the Base I C FIS Profile • FIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coase Designation Date: SECT	Flood Elevation (BFE) data imunity Determined Off or BFE in Item B9: In NG tal Barrier Resources Syste CBRS Off FION C - BUILDING ELEV	a or base flood de ther/Source: SVD 1929 ( NAV tem (CBRS) area OPA /ATION INFORM/	or Otherwise	in Item B9: Other/Source: Protected Area ( VEY REQUIRED	OPA)? (Yes @ No	
B10. Indicate the source of the Base I C FIS Profile • FIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coas Designation Date: SECT C1. Building elevations are based on:	Flood Elevation (BFE) data amunity Determined Of or BFE in Item B9: Image: Imag	a or base flood de ther/Source: GVD 1929 ( NAV tem (CBRS) area OPA /ATION INFORM/ gs* ( Building	or Otherwise	in Item B9: Other/Source: Protected Area ( VEY REQUIRED	OPA)? (Yes (@ No	
B10. Indicate the source of the Base I C FIS Profile • FIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coas Designation Date:	Flood Elevation (BFE) data imunity Determined O to or BFE in Item B9: I NG tal Barrier Resources Syst CBRS O FION C - BUILDING ELEV Construction Drawing equired when construction H, A (with BFE), VE, V1-V	a or base flood de ther/Source:	ATION (SUR g Under Conscomplete. AR, AR/A, A	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* (• R/AE, AR/A1-A30	OPA)? (Yes  No Finished Construction	
B10. Indicate the source of the Base I C FIS Profile • FIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coas Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, A	Flood Elevation (BFE) data imunity Determined Ot or BFE in Item B9: (ING CBRS CO CORS CO CONSTRUCTION Drawing equired when construction H, A (with BFE), VE, V1-V puilding diagram specified	a or base flood de ther/Source:	ATION (SUR g Under Conscomplete. AR, AR/A, A	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* ( R/AE, AR/A1-A30 , enter meters.	OPA)? (Yes  No Finished Construction	
B10. Indicate the source of the Base I C FIS Profile • FIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coas Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, A Items C2.a-h below according to the b Benchmark Utilized: SC VRS Network	Flood Elevation (BFE) data imunity Determined OI or BFE in Item B9: ING tal Barrier Resources Syst CBRS OC TION C - BUILDING ELEV Construction Drawing equired when construction H, A (with BFE), VE, V1-V puilding diagram specified rk	a or base flood de ther/Source:	ATION (SUR ATION (SUR g Under Cons complete. AR, AR/A, A erto Rico onty il Datum: No	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* ( R/AE, AR/A1-A30 , enter meters. GVD 1929	OPA)? Yes No Finished Construction AR/AH, AR/AO. Complete	
B10. Indicate the source of the Base I C FIS Profile • FIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coas Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, A Items C2.a-h below according to the b Benchmark Utilized: SC VRS Network	Flood Elevation (BFE) data imunity Determined O Of or BFE in Item B9: I NG tal Barrier Resources Syst C CBRS O O FION C - BUILDING ELEV C Construction Drawing equired when construction H, A (with BFE), VE, V1-V puilding diagram specified rk elevations in items a) thro	a or base flood de ther/Source:	ATION (SUR ATION (SUR g Under Cons complete. AR, AR/A, A erto Rico onty il Datum: No	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* ( R/AE, AR/A1-A30 , enter meters. GVD 1929	OPA)? Yes No Finished Construction AR/AH, AR/AO. Complete	
B10. Indicate the source of the Base I C FIS Profile • FIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coase Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, AI tems C2.a-h below according to the to Benchmark Utilized: SC VRS Network Indicate elevation datum used for the C Other/	Flood Elevation (BFE) data imunity Determined O to or BFE in Item B9: Image NG tal Barrier Resources Syst CBRS O to FION C - BUILDING ELEV Construction Drawing equired when construction H, A (with BFE), VE, V1-V building diagram specified rk elevations in items a) thro Source:	a or base flood de ther/Source:	ATION (SUR ATION (SUR g Under Cons complete. AR, AR/A, A erto Rico onty il Datum: No	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* ( R/AE, AR/A1-A30 , enter meters. GVD 1929	OPA)? (Yes No Finished Construction ), AR/AH, AR/AO. Complete	
B10. Indicate the source of the Base I C FIS Profile FIRM C Com B11. Indicate elevation datum used for B12. Is the building located in a Coas Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, AI tems C2.a-h below according to the to Benchmark Utilized: SC VRS Network Indicate elevation datum used for the C Other/	Flood Elevation (BFE) data imunity Determined O Of or BFE in Item B9: In NG tal Barrier Resources Syst C CBRS O O FION C - BUILDING ELEV C Construction Drawing equired when construction H, A (with BFE), VE, V1-V building diagram specified rk elevations in items a) thro Source:	a or base flood de ther/Source:	ATION (SUR Or Otherwise Or Otherwise Otherwise Or Otherwise Or Otherwise Oth	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* ( R/AE, AR/A1-A30 , enter meters. GVD 1929 () NAVD 1988	OPA)? Yes No Finished Construction , AR/AH, AR/AO. Complete Check the measurement us	
Allo Indicate the source of the Base of FIS Profile FIRM Correct FIRM CORRE	Flood Elevation (BFE) data imunity Determined O Of or BFE in Item B9: In NG tal Barrier Resources Syst C CBRS O O FION C - BUILDING ELEV C Construction Drawing equired when construction H, A (with BFE), VE, V1-V building diagram specified rk elevations in items a) thro Source:	a or base flood de ther/Source:	ATION (SUR Or Otherwise Or Otherwise Otherwise Or Otherwise Or Otherwise Oth	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* ( R/AE, AR/A1-A3( , enter meters. GVD 1929 () NAVD 1988	OPA)? Yes No Finished Construction AR/AH, AR/AO. Complete Check the measurement us © feet () meters	
B10-Indicate the source of the Base I C FIS Profile  FIRM Com B11-Indicate elevation datum used fo B12. Is the building located in a Coas Designation Date:  SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, AI tems C2.a-h below according to the te Benchmark Utilized: SC VRS Networ Indicate elevation datum used for the C Other/ Datum used for building elevations me a) Top of bottom floor (including base b) Top of the next higher floor	Flood Elevation (BFE) data imunity Determined OI or BFE in Item B9: ING tal Barrier Resources Syst CBRS OC TON C - BUILDING ELEV Construction Drawing equired when construction H, A (with BFE), VE, V1-V ouilding diagram specified rk elevations in items a) thro Source:	a or base flood de ther/Source:	ATION (SUR Or Otherwise Ounder Cons Complete. AR, AR/A, A erto Rico onty I Datum: Nor NGVD 1929	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* ( R/AE, AR/A1-A30 , enter meters. GVD 1929 (C NAVD 1988 . 15	OPA)? (Yes No Finished Construction ), AR/AH, AR/AO. Complete Check the measurement us (@ feet () meters (@ feet () meters	
B10-Indicate the source of the Base I C FIS Profile  FIRM Com B11-Indicate elevation datum used fo B12. Is the building located in a Coas Designation Date:  SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, Al tems C2.a-h below according to the t Benchmark Utilized: SC VRS Networ Indicate elevation datum used for the C Other/ Datum used for building elevations me Top of bottom floor (including base D) Top of the next higher floor D) Bottom of the lowest horizontal strue	Flood Elevation (BFE) data imunity Determined OI or BFE in Item B9: ING tal Barrier Resources Syst CBRS OC TON C - BUILDING ELEV Construction Drawing equired when construction H, A (with BFE), VE, V1-V ouilding diagram specified rk elevations in items a) thro Source:	a or base flood de ther/Source:	ATION (SUR Or Otherwise ATION (SUR Or Otherwise ATION (SUR Or Otherwise Or Otherwise Or Otherwise Or Otherwise Other	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* (* R/AE, AR/A1-A30 , enter meters. GVD 1929 O (* NAVD 1988 . 15 . A	OPA)? (Yes No Finished Construction b, AR/AH, AR/AO. Complete Check the measurement us (© feet () meters (© feet () meters (© feet () meters (© feet () meters	
B10-Indicate the source of the Base I C FIS Profile FIRM C Com B11-Indicate elevation datum used for B12. Is the building located in a Coas Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, AI tems C2.a-h below according to the to Benchmark Utilized: SCVRS Network Indicate elevation datum used for the C Other/ Datum used for building elevations mu a) Top of bottom floor (including base b) Top of the next higher floor c) Bottom of the lowest horizontal stru d) Attached garage (top of slab) b) Lowest elevation of machinery or elevations of the lowest horizontal stru	Flood Elevation (BFE) data imunity Determined OI or BFE in Item B9: (ING tal Barrier Resources Syst C CBRS OI COBRS OI CONC - BUILDING ELEV C Construction Drawing equired when construction H, A (with BFE), VE, V1-V building diagram specified rk elevations in items a) thro Source: ust be the same as that us ement, crawlspace, or encounce uctural member (V Zones a	a or base flood de ther/Source:	ATION (SUR Or Otherwise ATION (SUR Or Otherwise Or Otherwise Otherwise Or Otherwise Or Otherwise Or Otherwise Ot	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* (* R/AE, AR/A1-A30 , enter meters. GVD 1929 O (* NAVD 1988 . 15 . A	OPA)? (Yes No Finished Construction ), AR/AH, AR/AO. Complete Check the measurement us (@ feet () meters (@ feet () meters	
B10. Indicate the source of the Base I C FIS Profile • FIRM C com B11. Indicate elevation datum used for B12. Is the building located in a Coase Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, A Items C2.a-h below according to the b Benchmark Utilized: SC VRS Network Indicate elevation datum used for the C Other/ Datum used for building elevations mu a) Top of bottom floor (including base b) Top of the next higher floor c) Bottom of the lowest horizontal stru d) Attached garage (top of slab) e) Lowest elevation of machinery or e (Describe type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and lowed to be the structure of the type of equipment and t	Flood Elevation (BFE) data imunity Determined O Of or BFE in Item B9: Image NG tal Barrier Resources Syst C CBRS O O FION C - BUILDING ELEV C Construction Drawing equired when construction H, A (with BFE), VE, V1-V ouilding diagram specified rk elevations in items a) thro Source: ust be the same as that us ement, crawlspace, or encl uctural member (V Zones equipment servicing the bu occation in Comments)	a or base flood de ther/Source:	ATION (SUR Or Otherwise ATION (SUR Or Otherwise Or Otherwise Otherwise Or Otherwise Or Otherwise Or Otherwise Or Otherwise Or Otherwise Otherw	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* (* R/AE, AR/A1-A30 , enter meters. GVD 1929 O (* NAVD 1988 . 15 . A . A . 55	OPA)? (Yes No Finished Construction b, AR/AH, AR/AO. Complete Check the measurement us (e) feet (meters (e) feet (meters (e) feet (meters (e) feet (meters (e) feet (meters (e) feet (meters (e) feet (meters	
B10. Indicate the source of the Base I C FIS Profile FIRM C Com B14. Indicate elevation datum used for B14. Indicate elevation datum used for B12. Is the building located in a Coase Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, AI Items C2.a-h below according to the to Benchmark Utilized: SC VRS Network Indicate elevation datum used for the C Other/ Datum used for building elevations mudicates b) Top of the next higher floor c) Bottom of the lowest horizontal struct d) Attached garage (top of slab) e) Lowest elevation of machinery or elevations of the lowest adjacent (finished) grade not b) Top of the type of equipment and low	Flood Elevation (BFE) data imunity Determined O O or BFE in Item B9: (• NG tal Barrier Resources Syst C CBRS O O FION C - BUILDING ELEV C Construction Drawing equired when construction H, A (with BFE), VE, V1-V building diagram specified rk elevations in items a) thro Source: ust be the same as that us ement, crawlspace, or encl uctural member (V Zones i equipment servicing the bu- boation in Comments) next to building (LAG)	a or base flood de ther/Source:	ATION (SUR Or Otherwise ATION (SUR Or Otherwise Ounder Cons Complete. AR, AR/A, A erto Rico only I Datum: M NGVD 1929 24 A A A A A A A A A A A A A A A A A A	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* (* R/AE, AR/A1-A30 (* R/AE, AR/A1-A	OPA)? Yes No Finished Construction 0, AR/AH, AR/AO. Complete Check the measurement us @ feet ( meters @ feet ( meters	
B10-Indicate the source of the Base I C FIS Profile FIRM C Com B11-Indicate elevation datum used for B12. Is the building located in a Coase Designation Date: SECT C1. Building elevations are based on: A new Elevation Certificate will be re C2. Elevations: Zones A1-A30, AE, Al tems C2.a-h below according to the the Benchmark Utilized: SC VRS Network Indicate elevation datum used for the C Other/ Datum used for building elevations mused a) Top of bottom floor (including base b) Top of the next higher floor b) Bottom of the lowest horizontal strudy d) Attached garage (top of slab) a) Lowest elevation of machinery or ed (Describe type of equipment and top	Flood Elevation (BFE) data imunity Determined OI or BFE in Item B9: (• NG tal Barrier Resources Syst C CBRS O( CONSTRUCTION DRAWING equired when construction H, A (with BFE), VE, V1-V oulding diagram specified rk elevations in items a) thro Source: ust be the same as that us ement, crawlspace, or end uctural member (V Zones - equipment servicing the bu ocation in Comments) text to building (LAG) next to building (HAG)	a or base flood de ther/Source:	ATION (SUR Or Otherwise Complete. AR, AR/A, A erto Rico only I Datum: Nor NGVD 1929 24 24 24 24 24 24 24 24 24 24 24 24 24	in Item B9: Other/Source: Protected Area ( VEY REQUIRED struction* (* R/AE, AR/A1-A30 , enter meters. GVD 1929 O (* NAVD 1988 . 15 . A . A . 55	OPA)? (Yes No Finished Construction b, AR/AH, AR/AO. Complete Check the measurement us (e) feet (meters (e) feet (meters (e) feet (meters (e) feet (meters (e) feet (meters (e) feet (meters (e) feet (meters	

IMPORTANT: In these spaces, copy	FOR INSURANCE COMPANY US				
Building Street Address (including Apt	., Unit, Suite, and/or Bldg. I	No.) or P.O. F	Route and Box No		
270 Old Wilson Road				Policy Number	er:
ity State Zip Code SC 29568				Company NA Number:	IC
SECT	ION D - SURVEYOR, ENG	GINEER, OR	ARCHITECT CER	TIFICATION	
This certification is to be signed and sea hat the information on this Certificate re nunishable by fine or imprisonment und Check here if attachments.	epresents my best efforts to ler 18 U.S. Code, Section 1 Were latitude an provided by a lic	o interpret the 1001. Ind longitude in censed land so No	data available. I Section A urveyor?	CONTRACTOR STRATES OF STRATES OF STRATES	
Fimothy L. Davis, PLS		License Number SC PLS 27445			AL
Title Professional Land Surveyor	Company Name Timothy L. Davis				All a
Address 4618 Main Street	City Loris	City State 2		1	10 10
Signature	Date 5-16-2019	Telepi 843-7	none 56-2029		11 Martin
Copy all pages of this Elevation Certific	ata (a. 14) 14	al (0) in		u and (0) b. 0.1	1 1 1 2 2 3
***Lowest Machinery is the A/C unit	V				
***Lowest Machinery is the A/C unit	V				97 J 4
	*12				Date 5-16-2019
Signature Lima SECTION E - BUILDING ELEVAT	and the second s				NE A (WITHOUT BFE)
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and the	nplete Items E1-E5. If the 0 use natural grade, if availa e following and check the a he lowest adjacent grade (	Certificate is i able. Check th appropriate bo	ntended to suppor e measurement u xes to show whet	rt a LOMA or LOM ised. In Puerto Ric her the elevation i	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade ( sement, crawlspace,	Certificate is i able. Check th appropriate bo	ntended to support e measurement u	rt a LOMA or LOM ised. In Puerto Ric her the elevation i	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and the a) Top of bottom floor (including base	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade ( sement, crawlspace,	Certificate is i able. Check th appropriate bo	ntended to suppor e measurement u xes to show whet	rt a LOMA or LOM ised. In Puerto Ric her the elevation i neters abov	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the e or below the HAG
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is b) Top of bottom floor (including bas or enclosure) is E2. For Building Diagrams 6-9 with perm	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade ( sement, crawlspace, sement, crawlspace, manent flood openings prov	Certificate is i bble. Check th ppropriate bo LAG).	ntended to suppor e measurement u xes to show whet feet C n feet C r	nt a LOMA or LOM ised. In Puerto Ric her the elevation i neters abov neters abov or 9 (see page 8 o	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the e or below the HAG e or below the LAG. f Instructions), the next
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is b) Top of bottom floor (including bas or enclosure) is E2. For Building Diagrams 6-9 with per- igher floor (elevation C2.b in the diagra E3. Attached garage (top of slab) is	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade ( sement, crawlspace, sement, crawlspace, manent flood openings prov ams) of the building is	Certificate is i bble. Check th ppropriate bo LAG).	ntended to suppor e measurement u xes to show whet feet ( n feet ( r on A Items 8 and/	tt a LOMA or LOM ised. In Puerto Ric her the elevation i neters abov neters abov or 9 (see page 8 o neters abov	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the e or below the HAG e or below the LAG. f Instructions), the next e or below the HAG
Signature SECTION E - BUILDING ELEVAT SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is b) Top of bottom floor (including bas or enclosure) is E2. For Building Diagrams 6-9 with permission righer floor (elevation C2.b in the diagra E3. Attached garage (top of slab) is E4. Top of platform of machinery and /o	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade ( sement, crawlspace, sement, crawlspace, manent flood openings prov ams) of the building is	Certificate is i bble. Check th ppropriate bo LAG).	ntended to suppor e measurement u xes to show whet 	tt a LOMA or LOM issed. In Puerto Ric her the elevation i neters abov neters abov or 9 (see page 8 o neters abov neters abov	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the e or  below the HAG e or  below the LAG. f Instructions), the next e or  below the HAG. e or  below the HAG.
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is b) Top of bottom floor (including bas or enclosure) is E2. For Building Diagrams 6-9 with per- igher floor (elevation C2.b in the diagra E3. Attached garage (top of slab) is E4. Top of platform of machinery and /o ervicing the building is E5. Zone AO only: If no flood depth num	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade (i sement, crawlspace, manent flood openings prov ams) of the building is or equipment mber is available, is the top	Certificate is i ble. Check th ppropriate bo LAG). vided in Section of the bottom	ntended to suppor e measurement u xes to show whet 	tt a LOMA or LOM ised. In Puerto Ric her the elevation i neters abov neters abov or 9 (see page 8 o neters abov neters abov neters abov neters abov	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the e or below the HAG e or below the LAG. f Instructions), the next e or below the HAG. e or below the HAG. e or below the HAG. ne community's floodplain
Signature SECTION E - BUILDING ELEVAT SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is b) Top of bottom floor (including bas or enclosure) is E2. For Building Diagrams 6-9 with permission righer floor (elevation C2.b in the diagra E3. Attached garage (top of slab) is E4. Top of platform of machinery and /or revicing the building is E5. Zone AO only: If no flood depth num nanagement ordinance? CYes C	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade (i sement, crawlspace, manent flood openings prov ams) of the building is or equipment mber is available, is the top	Certificate is i ble. Check th ppropriate bo LAG). vided in Section vided in Section of the bottom cal official mu	ntended to suppor e measurement u xes to show whet 	tt a LOMA or LOM ised. In Puerto Ric her the elevation i neters abov neters abov or 9 (see page 8 o neters abov neters abov neters abov neters abov neters abov	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the e or below the HAG. e or below the LAG. f Instructions), the next e or below the HAG. ne community's floodplain G.
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is b) Top of bottom floor (including bas or enclosure) is E2. For Building Diagrams 6-9 with per- igher floor (elevation C2.b in the diagra E3. Attached garage (top of slab) is E4. Top of platform of machinery and /o ervicing the building is E5. Zone AO only: If no flood depth num- nanagement ordinance? (Yes () SECTION F - The property owner or owner's authoriz	nplete Items E1-E5. If the C use natural grade, if availa e following and check the a he lowest adjacent grade (i sement, crawlspace, manent flood openings prov ams) of the building is mer equipment nber is available, is the top No C Unknown. The low PROPERTY OWNER (OR ted representative who con	Certificate is i bble. Check th ppropriate bc LAG). vided in Section of the bottom cal official mu OWNER'S F mpletes Section	ntended to suppor e measurement u xes to show whet 	tt a LOMA or LOM ised. In Puerto Ric her the elevation i neters above or 9 (see page 8 o neters above neters above	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the e or below the HAG. e or below the LAG. f Instructions), the next e or below the HAG. e or below the HAG. e or below the HAG. ne community's floodplain G. DN a FEMA-issued or
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is b) Top of bottom floor (including bas or enclosure) is E2. For Building Diagrams 6-9 with per- igher floor (elevation C2.b in the diagra E3. Attached garage (top of slab) is E4. Top of platform of machinery and /o rervicing the building is E5. Zone AO only: If no flood depth num- nanagement ordinance? (Yes () SECTION F - The property owner or owner's authoriz	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade (i sement, crawlspace, manent flood openings prov ams) of the building is requipment nber is available, is the top No C Unknown. The lo PROPERTY OWNER (OR red representative who con ust sign here. The stateme	Certificate is i bble. Check th ppropriate bc LAG). vided in Section of the bottom cal official mu OWNER'S F mpletes Section	ntended to suppor e measurement u xes to show whet 	tt a LOMA or LOM ised. In Puerto Ric her the elevation i neters above or 9 (see page 8 o neters above neters above	NE A (WITHOUT BFE) R-F request, complete to only, enter meters. s above or below the e or below the HAG e or below the LAG. f Instructions), the next e or below the HAG. e or below the HAG. e or below the HAG. ne community's floodplain G. DN a FEMA-issued or
Signature SECTION E - BUILDING ELEVAT For Zones AO and A (without BFE), con Sections A, B, and C. For Items E1-E4, E1. Provide elevation information for the highest adjacent grade (HAG) and th a) Top of bottom floor (including bas or enclosure) is b) Top of bottom floor (including bas or enclosure) is E2. For Building Diagrams 6-9 with permigher floor (elevation C2.b in the diagra E3. Attached garage (top of slab) is E4. Top of platform of machinery and /or ervicing the building is E5. Zone AO only: If no flood depth num nanagement ordinance? (Yes (C) SECTION F - The property owner or owner's authorized Property Owner or Owner's Authorized	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade (i sement, crawlspace, manent flood openings prov ams) of the building is requipment nber is available, is the top No C Unknown. The lo PROPERTY OWNER (OR red representative who con ust sign here. The stateme	Certificate is i bble. Check th ppropriate bc LAG). vided in Section of the bottom cal official mu OWNER'S F mpletes Section	ntended to suppor e measurement u xes to show whet 	tt a LOMA or LOM ised. In Puerto Ric her the elevation i neters abov neters abov or 9 (see page 8 o neters abov neters abov neters abov neters abov neters abov neters abov neters abov neters correct o the bes	NE A (WITHOUT BFE) R-F request, complete to only, enter meters. s above or below the e or below the HAG e or below the LAG. f Instructions), the next e or below the HAG. e or below the HAG. e or below the HAG. ne community's floodplain G. DN a FEMA-issued or
<ul> <li>For Zones AO and A (without BFE), cor Sections A, B, and C. For Items E1-E4,</li> <li>E1. Provide elevation information for the highest adjacent grade (HAG) and ti</li> <li>a) Top of bottom floor (including bas or enclosure) is</li> <li>b) Top of bottom floor (including bas or enclosure) is</li> <li>b) Top of bottom floor (including bas or enclosure) is</li> <li>E2. For Building Diagrams 6-9 with permigher floor (elevation C2.b in the diagra</li> <li>E3. Attached garage (top of slab) is</li> <li>E4. Top of platform of machinery and /oservicing the building is</li> <li>E5. Zone AO only: If no flood depth num management ordinance? (Yes C</li> <li>SECTION F -</li> <li>The property owner or owner's authoriz community-issued BFE) or Zone AO m</li> </ul>	nplete Items E1-E5. If the ( use natural grade, if availa e following and check the a he lowest adjacent grade (i sement, crawlspace, manent flood openings prov ams) of the building is or equipment nber is available, is the top No Unknown. The lo PROPERTY OWNER (OR ed representative who con ust sign here. The stateme I Representative's Name	Certificate is i bble. Check th ppropriate bc LAG). vided in Section of the bottom cal official mu OWNER'S F mpletes Section	tended to suppor e measurement u xes to show whet 	tt a LOMA or LOM ised. In Puerto Ric her the elevation i neters above or 9 (see page 8 o neters above neters above neters above neters above accordance with the mation in Section <b>TE) CERTIFICATION</b> or Zone A (without a correct to the bes	NE A (WITHOUT BFE) R-F request, complete o only, enter meters. s above or below the e or  below the HAG e or  below the LAG. f Instructions), the next e or  below the HAG. ne community's floodplain G. DN a FEMA-issued or t of my knowledge.

Page 4 of 15

Check here if attachments.

G8. Elevation of as-built lowest floor (including basement) feet C meters Datum	INPORTANT: In these success comults	representing information from	Castion A	Expiration: 11/30/20
270 Old Wilson Road       Policy Number:         City Longs       State       State       Zip Code       Company NAIC         SECTION G - COMMUNITY INFORMATION (OPTIONAL)         The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement us items G8-G10. In Puerto Rico only, enter meters.         G1.       The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, en or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.         G2.       A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.         G3.       The following information (Items G4-G10) is provided for community floodplain management purposes.         G4.       Permit Number       G5. Date Permit Issued       G6. Date Certificate of Compliance/Occupancy Issue         G7.       This permit has been issued for: C New Construction C Substantial Improvement       G8. Elevation of as-built lowest floor (including basement) or the building:       C feet C meters Datum			and the second s	FOR INSURANCE COMPANY USE
SECTION G - COMMUNITY INFORMATION (OPTIONAL)         The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement us terms G8-G10. In Puerto Rico only, enter meters.         G1.       The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, en or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)         G2.       A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.         G3.       The following information (Items G4-G10) is provided for community floodplain management purposes.         G4.       Permit Number       G5. Date Permit Issued       G6. Date Certificate of Compliance/Occupancy Issue         G7.       This permit has been issued for: C New Construction C Substantial Improvement       G8. Elevation of as-built lowest floor (including basement) or feet C meters Datum		une, and/or blog. No.) or P.O.	Route and Box No.	Policy Number:
The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete         Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement usitems G8-G10. In Puerto Rico only, enter meters.         G1.       The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, en or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)         G2.       A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.         G3.       The following information (Items G4-G10) is provided for community floodplain management purposes.         G4.       Permit Number       G5. Date Permit Issued       G6. Date Certificate of Compliance/Occupancy Issue         G7.       This permit has been issued for: (New Construction C Substantial Improvement       G8. Elevation of as-built lowest floor (including basement) of the building:	City Longs	State sc Zip		
Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement usitems G8-G10. In Puerto Rico only, enter meters.         G1.       The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, en or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)         G2.       A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.         G3.       The following information (Items G4-G10) is provided for community floodplain management purposes.         G4.       Permit Number       G5. Date Permit Issued       G6. Date Certificate of Compliance/Occupancy Issue         G7.       This permit has been issued for: C New Construction C Substantial Improvement       G8.       Elevation of as-built lowest floor (including basement) or feet C meters Datum	SECT	TION G - COMMUNITY INFOR	MATION (OPTIONAL	-)
or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)         G2.       A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.         G3.       The following information (Items G4-G10) is provided for community floodplain management purposes.         G4.       Permit Number       G5. Date Permit Issued       G6, Date Certificate of Compliance/Occupancy Issue         G7.       This permit has been issued for: (New Construction (Substantial Improvement) of the building:       -       C feet (meters Datum	Sections A, B, C (or E), and G of this Elevation	Certificate. Complete the appli		
G2.       or Zone AO.         G3.       The following information (Items G4-G10) is provided for community floodplain management purposes.         G4.       Permit Number       G5. Date Permit Issued       G6. Date Certificate of Compliance/Occupancy Issue         G7.       This permit has been issued for:        New Construction       Substantial Improvement         G8.       Elevation of as-built lowest floor (including basement) of the building:	or architect who is authorized by law to			
G4. Permit Number       G5. Date Permit Issued       G6. Date Certificate of Compliance/Occupancy Issue         G7. This permit has been issued for: (`New Construction (`Substantial Improvement) of the building:		n E for a building located in Zo	ne A (without a FEMA	-issued or community-issued BFE)
G7. This permit has been issued for: (New Construction (Substantial Improvement)         G8. Elevation of as-built lowest floor (including basement) of the building:	G3. The following information (Items G4-G	10) is provided for community	floodplain manageme	nt purposes.
G8. Elevation of as-built lowest floor (including basement) of the building:	G4. Permit Number	G5. Date Permit Issued	G6. Date Certific	ate of Compliance/Occupancy Issued
of the building:	G7. This permit has been issued for: C New C	onstruction C Substantial In	provement	
building site:		basement)	C feet C meter	s Datum
Local Official's Name     Title       Community Name     Telephone       Signature     Date		e	_ C feet C meter	s Datum
Community Name Telephone Date	G10. Community's design flood elevation:	· · · · · · · · · · · · · · · · · · ·	_ C feet C meter	rs Datum
Signature Date	Local Official's Name	Title		97 30 No. 8
	Community Name	Teleph	one	
Comments (including type of equipment and location, per C2(e), if applicable)	Signature	Date		

Check here if attachments.

## **BUILDING PHOTOGRAPHS**

See instructions for Item A6.

OMB Control Number: 1660-0008 Expiration: 11/30/2018

IMPORTANT: In these spaces, copy the corresponding information from Section A.				FOR INSURANCE COMPAN	YUSE
Building Stree	et Address (including Apt., L son Road	Policy Number:	Policy Number:		
City Longs	/	State sc	Zip Code 29568	Company NAIC Number:	
Item A6. Idea When applica	ntify all photographs with da able, photographs must sho	te taken; "Front view" and F	Rear view"; and, if requisentative examples of t	otographs below according to the instructio lired, "Right Side View" and "Left Side View the flood openings or vents, as indicated in	v."
2019-05-15 2	0:172	the and			



**ELEVATION CERTIFICATE**, page 4

.





FEMA Form 086-0-33 (7/15)