











843-915-5090

843-918-1111 843-280-5560 843-488-9888

843-545-4010

843-913-6111

Effective Date: 1/1/2013

| Commercial - Building Envelope Sealing Certificate Before Insulation or After Insulation Inspection | | | | | |
|---|-------|---|---------------------------|-------------|--|
| Building Permit Number: | | | | | |
| Contractor Name: | | | Owner Name: | Owner Name: | |
| Add | dress | : | Address: | Address: | |
| Phone: | | | Phone: | Phone: | |
| Location of Work: | | | | | |
| The building thermal envelope has been durably sealed to limit infiltration by the above referenced contractor. | | | | | |
| | | | | | |
| Methods Used to Create Air Barrier (Choose all that Apply) | | | | | |
| ☐ Caulked ☐ Gasketed | | | ☐ Weatherstripped ☐ | ☐ Other | |
| Durably Sealed Areas | | | | | |
| ВІ | ΑI | | | | |
| | | ☐ Window & Door assemblies. | Window & Door assemblies. | | |
| | | Curtain Wall, storefront glazing and commercial entrance doors. | | | |
| | | Sealing of building envelope (Openings and penetration in the building envelope shall be sealed). | | | |
| ☐ Outdoor air intakes and exhaust opening (Shall be equipped with not less the | | | | | |
| | | | | | |
| | | buildings < 3story. Loading dock weather-seals. | | | |
| | | Vestibules | | | |
| | | □ Recessed lighting (Fixtures are air tight, IC rated, and sealed to drywall). | | | |
| Certification | | | | | |
| The Contractor hereby certifies the above referenced Building Thermal Envelope has been durably sealed to limit infiltration in accordance with the specification established by the 2009 International Energy Conservation Code Section 502. | | | | | |
| Print name Signature of Contractor/Third Party Inspector Date | | | | | |
| | | Print name | Signature of Notary | Date | |
| Notary State Commission Notary Expiration Date | | | | | |