U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 19/7/2 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1-9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION FOR INSURANCE COMPANY US							
A1. Building Owner's Name Policy Number:						ber:	
MUNGO HOMES		MINOCOL SAA					
A2. Building Street Box No. 260 AVERYVILLE		cluding Apt., Unit, Suit	e, and/o	r Bldg. No.) o	r P.O. Route and	Company N	NAIC Number:
City				State		ZIP Code	
CONWAY				South C	arolina	29526	
Company Company		nd Block Numbers, Ta F SUBD. PHASE 2 (P			gal Description, et	c.)	
A4. Building Use (e	e.g., Residen	itial, Non-Residential,	Addition	, Accessory,	etc.) RESIDENT	IAL	
A5. Latitude/Longit	ude: Lat. 3	3-51-00.1	Long. 0	78-49-42.5	Horizonta	l Datum: 🗌 NAD	1927 🗷 NAD 1983
A6. Attach at least	2 photograp	hs of the building if the	e Certific	ate is being u	sed to obtain floo	d insurance.	
A7. Building Diagra	m Number	1A					
A8. For a building	vith a crawls	pace or enclosure(s):					
a) Square foot	age of crawl	space or enclosure(s)			N/A sq ft		
b) Number of p	ermanent flo	ood openings in the cra	awlspace	e or enclosure	e(s) within 1.0 foot	above adjacent gr	ade N/A
c) Total net are	ea of flood or	penings in A8.b		N/A sq in	Ŭ		
d) Engineered	flood openin	ngs? Yes X	lo				
A9. For a building w	ith an attach	ned garage:					
a) Square foots	age of attach	ed garage		393.00 sq ft			
b) Number of p	ermanent flo	ood openings in the at	tached g	arage within	1.0 foot above adj	acent grade N/A	
c) Total net are	a of flood op	penings in A9.b		N/A sq	in		
d) Engineered	flood openin	gs? Yes x N	lo				
	er	CTION B. ELOOD I	NCIIDA	NCE DATE	MAD (FIDM) INC	ORMATION	
P1 NEIP Communi		CTION B - FLOOD I	NSUKA			ORMATION	B3. State
B1. NFIP Communi HORRY COUNTY		ommunity Number		B2. County HORRY CO			South Carolina
Table 100 Date 100	ASSESSMENT OF THE PROPERTY OF			Ver. 200 200 200 200 200 200 200 200 200 20		DO D E 15	SAMOSNYA I SASSOVISTANIANI
B4. Map/Panel Number B5. Suffix Date B7. FIRM Panel Effective/ Revised Date B8. Flood Zone(s) B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)							
45051C 0580	K	12-16-2021	12-16-	2021	AE	21	
The second secon		Base Flood Elevation				in Item B9:	
☐ FIS Profile	X FIRM	Community Deter	mined [Other/Sou	rce:		
B11. Indicate eleva	tion datum u	used for BFE in Item B	9: 🗌 N	GVD 1929	x NAVD 1988	Other/Source:	
B12. Is the building	located in a	Coastal Barrier Reso	urces S	ystem (CBRS) area or Otherwis	se Protected Area (OPA)? Yes 🗷 No
Designation [Date:		CBRS	OPA			

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

State South Carolina 25526 Company NAIC Number South Carolina 25526 Company NAIC Number South Carolina 25526 Company NAIC Number Section C - Bull_DING ELEVATION INFORMATION (SURVEY REQUIRED) 1. Building elevations are based on:	PORTANT: In these spaces, copy the corres	FOR INSURANCE COMPANY USE		
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) 1. Building elevations are based on:	uilding Street Address (including Apt., Unit, Suit 60 AVERYVILLE DRIVE	e, and/or Bldg. No.) or P.O. Ro	ute and Box No.	Policy Number:
SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED) 1. Building elevations are based on:	ity	Company NAIC Number		
1. Building elevations are based on:	ONWAY	South Carolina 299	526	
*A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/A Complete terms C2.a—h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized:BM	SECTION C - BUILD	ING ELEVATION INFORMA	TION (SURVEY R	EQUIRED)
2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AC Complete Items C2.a—h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters. Benchmark Utilized: TBM			7.	uction* Finished Construction
Indicate elevation datum used for the elevations in items a) through h) below. NGVD 1929 NAVD 1988 Other/Source: Datum used for building elevations must be the same as that used for the BFE. Check the measurement a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 24.3 feet meters	C2. Elevations - Zones A1-A30, AE, AH, A (with	th BFE), VE, V1-V30, V (with B	BFE), AR, AR/A, AR	/AE, AR/A1-A30, AR/AH, AR/AO. to Rico only, enter meters.
NGVD 1929 ★ NAVD 1988	Benchmark Utilized: TBM	Vertical Datum	: NAVD 88	
Datum used for building elevations must be the same as that used for the BFE. Check the measurement a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 24.3	Indicate elevation datum used for the eleva-	tions in items a) through h) belo	ow.	-
Check the measurement a) Top of bottom floor (including basement, crawlspace, or enclosure floor) 24.3	☐ NGVD 1929 🗷 NAVD 1988 🗆	Other/Source:		
a) Top of bottom floor (including basement, crawispace, or enclosure floor) b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION his certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by land to certify elevation inform certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any fals attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Vere latitude and longitude in Section A provided by a licensed land surveyor? EVEN NO. EVEN NO. EVEN CHECK CAROLLES NOTES ASSOCIATES, LLC Code Socious SCH 26950 THE COX SURVEYORS & ASSOCIATES, LLC SCH 29588 EXEMPLE SCH 2004 No. 26950 No. 26950 No. 26950 No. 26950 No. 26950	Datum used for building elevations must be	the same as that used for the l	BFE.	Charle the annual to the control of
b) Top of the next higher floor c) Bottom of the lowest horizontal structural member (V Zones only) d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION And the information on this Certificate represents my best efforts to interpret the data available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Sere latitude and longitude in Section A provided by a licensed land surveyor? EYES No FOR Check here if attachment of the Common of the Comm	a) Top of bottom floor (including becomen	eroudaneae er analanura flas	-\	Manager Committee of the Committee of th
c) Bottom of the lowest horizontal structural member (V Zones only) Altached garage (top of slab) e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION Inis certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information on this Certificate represents my best efforts to interpret the data available. I understand that any fals attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Fere latitude and longitude in Section A provided by a licensed land surveyor? ASON COX SC# 26950 In Check here if attachment of the control of th		, crawispace, or enclosure floor)	
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) 1) Lowest adjacent (finished) grade next to building (LAG) 23.3	- 1/4 - 1/4			
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) f) Lowest adjacent (finished) grade next to building (LAG) g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION Inits certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation informate that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Vere latitude and longitude in Section A provided by a licensed land surveyor? ASON COX SC# 26950 The Check here if attachment of the common of the certificate represents of the certificate and longitude in Section A provided by a licensed land surveyor? ASON COX SC# 26950 The Check here if attachment of the certificate represents of the certificate of the certificate represents of the certificate represents of the certificate represents of the certificate and longitude in Section A provided by a licensed land surveyor? The check here if attachment of the certificate represents of the certification of	 c) Bottom of the lowest horizontal structura 	il member (V Zones only)		
(Describe type of equipment and location in Comments) 1. Lowest adjacent (finished) grade next to building (LAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent grade at lowest elevation of deck or stairs, including structural support 2. g) Highest adjacent grade at lowest elevation of deck or stairs, including structural support 2. g) Highest adjacent grade at lowest elevation of deck or stairs, including structural support 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Highest adjacent (finished) grade next to building (HAG) 2. g) Heet meter meters 2. g) Heet mete	d) Attached garage (top of slab)			23.9 x feet meters
g) Highest adjacent (finished) grade next to building (HAG) h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION In its certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information on this Certificate represents my best efforts to interpret the data available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Idere latitude and longitude in Section A provided by a licensed land surveyor? If Yes No If Check here if attachmost efficiency is a section of the control o	 e) Lowest elevation of machinery or equipr (Describe type of equipment and locatio 	nent servicing the building n in Comments)		24.2 x feet meters
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION Inis certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information on this Certificate represents my best efforts to interpret the data available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Idere latitude and longitude in Section A provided by a licensed land surveyor? If Yes No If Check here if attachmost efficier's Name License Number SC# 26950 Interpret No. 26950 Interpret the data available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. If Check here if attachmost efficier's Name License Number SC# 26950 Interpret No. 26950 Interpret the data available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. If Check here if attachmost efficier's Name License Number SC# 26950 Interpret the data available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Interpret the data available. I understand that any false available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Interpret the data available. I understand that any false available. I understand that any false available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Interpret the data available. I understand that any false available. I understand that available. I understand that available. I understa	f) Lowest adjacent (finished) grade next to	building (LAG)		23.3 Feet meters
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information on this Certificate represents my best efforts to interpret the data available. I understand that any false atterment may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Idere latitude and longitude in Section A provided by a licensed land surveyor? If Yes No If Check here if attachment of the control	g) Highest adjacent (finished) grade next to	building (HAG)		23.7 Feet meters
SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION his certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information on this Certificate represents my best efforts to interpret the data available. I understand that any false attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Idere latitude and longitude in Section A provided by a licensed land surveyor? If Yes No Check here if attachmore if a section and surveyor. If Check here if attachmore if a section and surveyor	h) Lowest adjacent grade at lowest elevation	on of deck or stairs, including		00.5
his certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information on this Certificate represents my best efforts to interpret the data available. I understand that any faist attement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Idere latitude and longitude in Section A provided by a licensed land surveyor? If Yes No Check here if attachmost ertifier's Name License Number SC# 26950 Interpret the data available. I understand that any faist available. I understand that any faist attachmost ertifier's Name License Number SC# 26950 Interpret the data available. I understand that any faist available. I understand that any faist attachmost effects available. I understand that any faist attachmost effects available. I understand that any faist available. I understand that any faist available. I understand that any faist attachmost effects available. I understand that any faist	structural support			23.5 x feet meters
certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false atternent may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001. Idere latitude and longitude in Section A provided by a licensed land surveyor? If Yes No In Check here if attachmore retifier's Name License Number SC# 26950 In CAROUNDERS Ompany Name COX SURVEYORS & ASSOCIATES, LLC Iddress 325 DICK POND ROAD, SUITE A Ity State ZIP Code No. 26950 In Check here if attachmore retifier's Name No. 26950 South Carolina 29588	SECTION D - SUR	VEYOR, ENGINEER, OR AR	CHITECT CERTIF	ICATION
ertifier's Name JASON COX SC# 26950 Itle DWNER COMPANY NAME COX SURVEYORS & ASSOCIATES, LLC Ity MYRTLE BEACH License Number SC# 26950 No. 26950 No. 26950 State South Carolina 29588	certify that the information on this Certificate re	presents my best efforts to inte	rpret the data availa	y law to certify elevation information able. I understand that any false
Itle DWNER D	Were latitude and longitude in Section A provide	ed by a licensed land surveyor?	x Yes □ No	X Check here if attachments
WNER company Name COX SURVEYORS & ASSOCIATES, LLC ddress 325 DICK POND ROAD, SUITE A lity State MYRTLE BEACH South Carolina State South Carolina South Carolina	Certifier's Name	License Number		
WNER company Name COX SURVEYORS & ASSOCIATES, LLC ddress 325 DICK POND ROAD, SUITE A lity State MYRTLE BEACH South Carolina State South Carolina South Carolina	J. JASON COX	SC# 26950		CAROUM
State ZIP Code MYRTLE BEACH South Carolina 29588	Γitle			
State ZIP Code MYRTLE BEACH South Carolina 29588	OWNER			1 50/00 MA A
State ZIP Code MYRTLE BEACH South Carolina 29588	Company Name			No. 25050
State ZIP Code MYRTLE BEACH South Carolina 29588				No. 26950
State ZIP Code MYRTLE BEACH South Carolina 29588	Address 4325 DICK POND ROAD, SUITE A			No. 26950
But Windows But				ASON COMMITTEE
Ignature J. Jase (ex. 10-03-2022 (843) 650-1500	City MYRTLE BEACH		Talaskasa	Ext.
opy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building	MYRTLE BEACH	Date		
omments (including type of equipment and location, per C2(e), if applicable)	MYRTLE BEACH Signature J. Jasu Cox	Date 10-03-2022	(843) 650-1500	agent/company, and (3) building ow
	Signature Jasa Cox Copy all pages of this Elevation Certificate and all	Date 10-03-2022 attachments for (1) community o	(843) 650-1500	agent/company, and (3) building ow
ze is the air conditioner pad on the left side of the nouse.	Signature Copy all pages of this Elevation Certificate and all Comments (including type of equipment and local	Date 10-03-2022 attachments for (1) community o ation, per C2(e), if applicable)	(843) 650-1500	agent/company, and (3) building ow
	Signature Jasa Cox Copy all pages of this Elevation Certificate and all	Date 10-03-2022 attachments for (1) community o ation, per C2(e), if applicable)	(843) 650-1500	agent/company, and (3) building ow
	Signature Copy all pages of this Elevation Certificate and all Comments (including type of equipment and local	Date 10-03-2022 attachments for (1) community o ation, per C2(e), if applicable)	(843) 650-1500	agent/company, and (3) building ow

ELEVATION CERTIFICATE

OMB No. 1660-0008 19/5/20 Expiration Date: November 30, 2022/ 40

IMPORTANT: In these spaces, copy the correspond	ing information from Section	A.	FOR INSURANCE	CE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and 260 AVERYVILLE DRIVE	d/or Bldg. No.) or P.O. Route an	d Box No.	Policy Number:	
	State ZIP Code South Carolina 29526		Company NAIC	Number
	EVATION INFORMATION (S E AO AND ZONE A (WITHOU		REQUIRED)	
For Zones AO and A (without BFE), complete Items E1 complete Sections A, B,and C. For Items E1–E4, use nenter meters.	–E5. If the Certificate is intende atural grade, if available. Check	d to support a the measure	LOMA or LOMR- ment used. In Pue	F request, erto Rico only,
E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest a	check the appropriate boxes to adjacent grade (LAG).	show whethe	r the elevation is a	above or below
 a) Top of bottom floor (including basement, crawlspace, or enclosure) is 	[]f	eet _ meter	s above or	below the HAG.
 Top of bottom floor (including basement, crawlspace, or enclosure) is 		eet meter	s above or	below the LAG.
E2. For Building Diagrams 6–9 with permanent flood of the next higher floor (elevation C2.b in the diagrams) of the building is		tems 8 and/or		of Instructions),
E3. Attached garage (top of slab) is	🗆 f	eet meter	s above or	below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is		eet meter	rs above or	below the HAG.
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes				
SECTION F - PROPERTY OW	NER (OR OWNER'S REPRESE	NTATIVE) CE	RTIFICATION	
The property owner or owner's authorized representative community-issued BFE) or Zone AO must sign here. The property Owner's Authorized Research to the community of the commun	ne statements in Sections A, B,	, and E for Zo and E are con	ne A (without a Fi rect to the best of	EMA-issued or my knowledge.
Property Owner or Owner's Authorized Representative	s Name			
Address	City	Sta	ate	ZIP Code
Signature	Date	Te	lephone	
Comments				
			CERTIFICATION A N	COX IRVEYORS SSOCIATES, OLIVEYORS LLC LC LC LO

ELEVATION CERTIFICATE

OMB No. 1660-0008 19/5/2>
Expiration Date: November 30, 2022/1/2

MPORTANT: In these spaces, copy the corr	esponding information for	rom Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, S 260 AVERYVILLE DRIVE	uite, and/or Bldg. No.) or F	P.O. Route and Box No.	Policy Number:
City	State South Carolina	ZIP Code 29526	Company NAIC Number
SECTION	ON G - COMMUNITY INF	ORMATION (OPTIONA	L)
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8–G10. In Puerto Rico only, er	Certificate. Complete the		
G1. The information in Section C was takengineer, or architect who is authorized that in the Comments area below.)	en from other documentated by law to certify elevati	ion that has been signed on information. (Indicate	d and sealed by a licensed surveyor, the source and date of the elevation
G2. A community official completed Sect or Zone AO.	ion E for a building located	I in Zone A (without a Fi	EMA-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for comm	nunity floodplain manag	ement purposes.
G4. Permit Number	G5. Date Permit Issued	Ge	Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	New Construction Se	ubstantial Improvement	
 Elevation of as-built lowest floor (includin of the building: 	g basement)	f	eet meters Datum
69. BFE or (in Zone AO) depth of flooding at	the building site:		eet meters Datum
G10. Community's design flood elevation:			eet meters Datum
ocal Official's Name	Т	itle	
Community Name	Т	elephone	
Signature	C	Date	
Comments (including type of equipment and lo	ention per C2(a) if applies	abla)	
comments (including type of equipment and to	cation, per cz(e), ii applica	able)	
			Check here if attachments

BUILDING PHOTOGRAPHS

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE

		THE STATE OF THE S	
IMPORTANT: In these spaces, copy the corresponding information from Section A.			
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 260 AVERYVILLE DRIVE			
State	ZIP Code	Company NAIC Number	
South Carolina	29526		
	Apt., Unit, Suite, and/or Bldg. No.) or F	Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. State ZIP Code	

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption Front View; 10-03-2022 Clear Photo One



Photo Two Caption

Rear View; 10-03-2022

Clear Photo Two

FEMA Form 086-0-33 (12/19)

Replaces all previous editions.

Form Page 5 of 6